BROWN PAPER
DECORATIVE LAMINATES

A product by

ACE MICA
Decorative Laminates
THE SPACE CHANGER

www.acemica.com

BROWN PAPER
DECORATIVE LAMINATES

सवा mm
1.25MM

BROWN PAPER
DECORATIVE LAMINATES

# सवा mm
1.25MM

## What's Inside?


BARK


SLATE


BOXES


PIXEL


WEAVE


MOSAIC


RUSTIC




1.25MM सवा mm

### Why Thickness Matters

**Thicker means tougher**
These laminates handle moisture, wear, and impact with ease.

**Better Dimensional Stability**
They reduce the chances of warping, bubbling, or delamination over time.

**Enhanced Surface Realism**
Thicker laminates allow for deeper textures and embossing.



1.25 MM

सवा mm

Every 1.25mm laminate is a carefully engineered core designed for strength, durability, and long-lasting performance.
Each layer is built to resist wear, moisture, and impact—making it a trusted choice for demanding

ANTI BACTERIAL | GENUINE THICKNESS | MOISTURE RESISTANCE | FLAME RETARDANT | STAIN FREE

# BARK



4702 A-200
BEIGE MIST




Thick. Tough. Trusted

सवा mm

1.25 MM

GENUINE THICKNESS

ENHANCED DURABILITY



4163 A-190
COAL BLACK



4051 A-190
BLACK

# BARK

1.25 MM



9325 A-190
METALLIC ODER PEAR WOOD




Built. Balanced. Bold.

सवा mm



9323 A-190
MAGIC SPARKLING WOOD

# SLATE

1.25 MM



8114 A-200
EARTH WHITE

Feel the Forest. Live the Strength.



# सवा mm

GENUINE THICKNESS

ENHANCED DURABILITY



8090 A-200
NUTMEG



4145 A-200
PISTA GREY

# SLATE




Solid. Strong. Superior.

सवा mm

9766 A-200
SAND GLACIOR

सवा mm

GENUINE THICKNESS

ENHANCED DURABILITY



9767 A-200
GOLDEN GLACIOR

# SLATE

1.25 MM



4702 A-200
BEIGE MIST



4154 A-200
PEBBLE GREY



# सवा mm

GENUINE THICKNESS

ENHANCED DURABILITY



1480 A-200
CONCRETE



9701 A-200
MIDNIGHT

# BOXES

1.25 MM



1544 A-206
WOODEN MOSAIC




Bold. Balanced. Beautiful.

सवा mm



4142 A-206
CAPPUCCINO

# BOXES

सवा mm

1.25 MM



4735 A-206
BEIGE LATTE



BR 4003 | A-206
WARM WHITE



4137 A-206
CHARCOAL GREY



1480 A-206
CONCRETE



1481 A-206
AGED CONCRETE

# BOXES

सवा mm

1.25 MM



1527 A-206
CHEVRON TEAK NATURAL



1526 A-206
CHEVRON TEAK GREY




Feel the Forest. Live the Strength.

# PIXEL

1.25 MM



4702 A-207
BEIGE MIST



सवा mm

GENUINE THICKNESS

ENHANCED DURABILITY



8098 A-207
SMOKED BROSSE PECAN

# PIXEL

1.25 MM




Feel the Forest. Live the Strength.



सवा mm

GENUINE THICKNESS

ENHANCED DURABILITY



1528 A-207
TITTER WALNUT



1471 A-207
CHOCO CRUX

# PIXEL

सवा mm

1.25 MM

GENUINE THICKNESS

ENHANCED DURABILITY



1529 A-207
DENSEN FALL OAK



8090 A-207
NUTMEG



5255 A-207
AMERICAN FRESCO



4163 A-207
COAL BLACK

# PIXEL



4151 A-207
BEIGE




Minimal. Modern. Magical.

सवा mm

1.25 MM



1531 A-207
METALLIC WOOD

Feel the Forest. Live the Strength.

सवा mm



BR 4003 A-211
WARM WHITE



4702 A-211
BEIGE MIST



8062 A-211
ALMOND GLITTER



10009 A-211
MISTY SPARKLE



1.25 MM





2131 A-211
SILVER SPARKLE



2132 A-211
SAGE SPARKLE



9396 A-211
GLOSSY GREY



8120 A-211
GOLD SHIMMER

सवा mm



8125 A-214
WOODY MOSAIC LIGHT



1.25 MM





8128 A-214
WOODY MOSAIC DARK

1.25 MM



4702 A-214
BEIGE MIST









8090 A-214
NUTMEG



4051 A-214
BLACK

1.25 MM



9368 A-215
COMPANIA OAK









1471 A-215
CHOCO CRUX



1482 A-215
MAJESTIC WOOD

# - INDEX -

| SR. NO. | | DESIGN NO. | FINISH NO. | PAGE NO. |
|---|---|---|---|---|
| 1 | | 1471 | A-207 | 20 |
| 2 | | 1471 | A-215 | 32 |
| 3 | | 1480 | A-200 | 10 |
| 4 | | 1480 | A-206 | 14 |
| 5 | | 1481 | A-206 | 14 |
| 6 | | 1482 | A-215 | 32 |
| 7 | | 1526 | A-206 | 15 |
| 8 | | 1527 | A-206 | 15 |
| 9 | | 1528 | A-207 | 20 |
| 10 | | 1529 | A-207 | 21 |
| 11 | | 1531 | A-207 | 24 |
| 12 | | 1544 | A-206 | 11 |
| 13 | | 2131 | A-211 | 26 |
| 14 | | 2132 | A-211 | 26 |
| 15 | BR | 4003 | A-206 | 13 |
| 16 | BR | 4003 | A-211 | 25 |
| 17 | | 4051 | A-190 | 02 |
| 18 | | 4051 | A-214 | 30 |
| 19 | | 4137 | A-206 | 13 |
| 20 | | 4142 | A-206 | 12 |
| 21 | | 4145 | A-200 | 06 |
| 22 | | 4151 | A-207 | 23 |
| 23 | | 4154 | A-200 | 09 |
| 24 | | 4163 | A-190 | 02 |
| 25 | | 4163 | A-207 | 22 |
| 26 | | 4702 | A-190 | 01 |

| SR. NO. | | DESIGN NO. | FINISH NO. | PAGE NO. |
|---|---|---|---|---|
| 27 | | 4702 | A-200 | 09 |
| 28 | | 4702 | A-207 | 17 |
| 29 | | 4702 | A-211 | 25 |
| 30 | | 4702 | A-214 | 29 |
| 31 | | 4735 | A-206 | 13 |
| 32 | | 5255 | A-207 | 22 |
| 33 | | 8062 | A-211 | 25 |
| 34 | | 8090 | A-200 | 06 |
| 35 | | 8090 | A-207 | 21 |
| 36 | | 8090 | A-214 | 30 |
| 37 | | 8098 | A-207 | 18 |
| 38 | | 8114 | A-200 | 05 |
| 39 | | 8120 | A-211 | 26 |
| 40 | | 8125 | A-214 | 27 |
| 41 | | 8128 | A-214 | 28 |
| 42 | | 9323 | A-190 | 04 |
| 43 | | 9325 | A-190 | 03 |
| 44 | BR | 9368 | A-215 | 31 |
| 45 | | 9396 | A-211 | 26 |
| 46 | | 9701 | A-200 | 10 |
| 47 | | 9766 | A-200 | 07 |
| 48 | | 9767 | A-200 | 08 |
| 49 | | 10009 | A-211 | 25 |

Scan this QR code to download PDF on your device.

# - TECHNICAL & SPECIFICATIONS -

BROWN PAPER
DECORATIVE LAMINATES

| PHYSICAL PROPERTIES | REQUIREMENT | TYPICAL VALUE | RESULT |
|---|---|---|---|
| Thickness | 1.25 MM | 1.25 MM | YES |
| Thickness Tolerance | +/-0.1 | +/-0.1 | YES |
| Squireness | 0-6 MM | 0-6MM | YES |
| Edge Squireness | 1.5mm/Meter | 1.0mm/Meter | YES |
| Flatness | +-120mm | +-60mm | YES |
| Light Resistance | Slight Effect | Slight Effect | YES |
| RESISTANCE TO STAINING | | | |
| Cleanability | Sum Of Score (20 Max) | 16 | YES |
| Stain (1-10) | No Effect | No Effect | YES |
| Stain (1-15) | Moderate Effect | Slight Effect | YES |
| Boiling Water Resistance | No Effect | No Effect | YES |
| High Temp Resistance | Slight Effect | Slight Effect | YES |
| Liner Glass Scratch Resistance | <20/50/100/200 | <200 | YES |
| Ball Impact Resistance | 500mm | 550mm | YES |
| Dart Impact Resistance | 200mm | 200mm | YES |
| Radiant Heat Res (Coil) | 80 Sec | 80 Sec | YES |
| Dimensional Change (Machine Direction) | 0.70%(Max) | 0.6%(Max) | YES |
| Dimensional Change (Cross Direction) | 1.20%(Max) | 1.00%(Max) | YES |
| ROOM TEMPERATURE | | | |
| Dimensional Stability (Machine Direction) | 0.60%(Max) | 0.5%(Max) | YES |
| Dimensional Stability (Cross Direction) | 1.10%(Max) | 0.95%(Max) | YES |
| Wear Resistance | 400 Cycles (Min) | >400 Cycles (Min) | YES |

SIZE : 1220 mm x 2440 mm (4' X 8'), 1220 mm x 3050 mm (4' x 10') in selected texture.

GRADES & THICKNESS : 1.25mm.

SURFACE RESISTANCE TO : Artificial Perspiration, Citric Acid Solution, Coffee, Cooking Fat, Gasoline, ink, Rectified Spirit, Kerosene, Milk, Sodium Hydroxide Solution, Tea, Wax Crayon

WARRANTY : Brown Paper warrants that its products are free from manufacturing defects and they are fit and suitable for usual purpose. The product must be inspected prior to installation and our liability will be limited to the cost of product only.

MEMBER
Indian Green Building Council Membership

The Indian Green Building Council (IGBC), part of the Confederation of Indian Industry (CII) was formed in the year 2001. The vision of the council is, "To enable a sustainably built environment for all and facilitate India to be one of the global leaders in the sustainably built environment by 2025"

ISO 9001:2015 CERTIFIED

ISO 9001:2015 is an international standard related to quality management system, applicable to any organization from all types of business sectors and activities. ISO 9001:2015 is based on eight management principles (all fundamental to good business practice). When fully adopted, these principles can help improve your organizational performance.

IS 2046
CM/L 7200087112

BIS is the National Standard Body of India established under the BIS Act 1986 for the harmonious development of the activities of standardization, marking and quality certification of goods and for matters connected therewith or incidental thereto. BIS has been providing traceability and tangibility benefits to the national economy in a number of ways - providing safe reliable quality goods; minimizing health hazards to consumers; promoting exports and imports substitute; control over proliferation of varieties etc. through standardization, certification and testing.

GREENGUARD GOLD

GREENGUARD

The UL GREENGUARD Certification Program requires that products undergo independent, scientific testing and ongoing monitoring of their chemical emissions.[1] Only products that meet UL Environment's stringent emissions standards qualify for certification. These standards are based on established criteria from key public health agencies.

Offices

Restaurant

Kitchen Countertops

Wall Cladding Wall Paneling

Furniture Makeover

*Countertops and Work Surfaces*



NO CLAIMS WILL BE CONSIDERED for cracking resulting from groove cutting for L-shaped designs

Keep out of strong sunlight

Crafted for interior use only

Carpenter friendly easy to use



NO CLAIMS WILL BE CONSIDERED related to air bubbles