

Scout'Lam



STERLINA DESIGN
"YOU THINK IMPOSSIBLE, WE MAKE IT POSSIBLE"

DESIGN

3624



ZOOM VIEW



SIZE: 8'4'
THICKNESS: 1MM

3650



3654



SIZE: 8'4'
THICKNESS: 1MM

ZOOM VIEW



3625



LAMINAT



3626



ZOOM VIEW



SIZE: 8'4'
THICKNESS: 1MM



3650

3648



SIZE: 8'4'
THICKNESS: 1MM



3627

ZOOM VIEW





3628



ZOOM VIEW

SIZE: 8'4'
THICKNESS: 1MM

3654


3655

SIZE: 8'4'
THICKNESS: 1MM

ZOOM VIEW



3629



3630



SIZE: 8'4'
THICKNESS: 1MM

3648



SIZE: 8'4'
THICKNESS: 1MM

3655




ZOOM VIEW



3631

3632



SIZE: 8'4'
THICKNESS: 1MM

3652




3654



SIZE: 8'4'
THICKNESS: 1MM

ZOOM VIEW



3633



ELEGANCE

3634



ZOOM VIEW



SIZE: 8'4'
THICKNESS: 1MM

3653



SIZE: 8'4'
THICKNESS: 1MM

3651



ZOOM VIEW



3635



STYLE



3636



ZOOM VIEW



SIZE: 8'4'
THICKNESS: 1MM

3648



SIZE: 8'4'
THICKNESS: 1MM

3651



ZOOM VIEW



3637



3638



SIZE: 8'4'
THICKNESS: 1MM

3654



3655




SIZE: 8'4'
THICKNESS: 1MM



3639



3640



SIZE: 8'4'
THICKNESS: 1MM



3620

3619



SIZE: 8'4'
THICKNESS: 1MM



3641

3642




SIZE: 8'4'
THICKNESS: 1MM

3648



3648

SIZE: 8'4'
THICKNESS: 1MM



3643

ZOOM VIEW






3644



ZOOM VIEW



SIZE: 8'4'
THICKNESS: 1MM

3649



3649

SIZE: 8'4'
THICKNESS: 1MM



ZOOM VIEW



3645

Design

3646



ZOOM VIEW



SIZE: 8'4'
THICKNESS: 1MM




3649


SIZE: 8'4'
THICKNESS: 1MM



3619



3601




ZOOM VIEW

Theme

3602

ZOOM VIEW



SIZE: 8'4'
THICKNESS: 1MM

3620


3621



SIZE: 8'4'
THICKNESS: 1MM




ZOOM VIEW




3603



3604




ZOOM VIEW



SIZE: 8'4'
THICKNESS: 1MM

3622




3623




SIZE: 8'4'
THICKNESS: 1MM


ZOOM VIEW




3605



3607



ZOOM VIEW



SIZE: 8'4'
THICKNESS: 1MM

3619



3619

SIZE: 8'4'
THICKNESS: 1MM



3610



ZOOM VIEW



3612



SIZE: 8'4'
THICKNESS: 1MM

3621



3619



SIZE: 8'4'
THICKNESS: 1MM




3616



Scout' Lam

SIZE:- 8' X 4' | THICKNESS:- 1 MM
MATERIAL:- DECORATIVE LAMINATE

RECOMMENDED BLADE FOR CUTTING
Diamond cutting blade. Diamond cutting tools.



NOTE

- शीट प्राप्त करने के बाद सबसे पहले डिजाइन और रंग की सही जांच कर लें उसके बाद ही कटिंग या पेस्टिंग करें। अगर बिना जांचे कटिंग या पेस्टिंग की गई है और डिजाइन या रंग गलत है तो शीट चेंज नहीं होगी।
- दिवार रंगने या फर्नीचर पर लगाने से पहले लैमिनेट शीट को पूरी तरह से ढककर रखें ताकि उस पर रंग की बूंदें या ग्लू न गिरे। अन्यथा, रंग की या ग्लू की बूंदें गिरने से शीट खराब होगी तो हम जिम्मेदार नहीं रहेंगे।
- LAMINATE को पलट कर काटना होता है। कटर, ब्लेड या लैमिनेट कटर से काटना है।
 - पैकिंग में दी गई पॉलीथिन को LAMINATE के नीचे रखकर शीट को काटना है।
- LAMINATE को पानी या कोलीन (ग्लास क्लीनिंग केमिकल) से साफ करें। (ज्वलनशील पदार्थों जैसे की पेट्रोल, डीजल, थिनर आदि का उपयोग न करें)
- LAMINATE शीट foil प्रोसेस होने की वजह से थोड़ा बहुत वेरिएशन होगा। इसलिए आप एक साथ आर्डर करें ताकि वेरिएशन न आए और हम भी इस बात का ध्यान रखेंगे कि वेरिएशन न आए।
 - LAMINATE के सैंपल और शीट के कलर्स में मामूली बदलाव रहेगा।
 - LAMINATE को साफ करने के लिए शीट पर कॉटन के कपड़े और टिशू से साफ करें, रगड़ना मना है।
 - LAMINATE शीट में बबल आने की जवाबदारी हमारी नहीं रहेगी।

CUTTING RECOMMENDATIONS

For precise cutting of fabric or leather laminates, we recommend using a 40 teeth Diamond Cutter Blade. Opt for Diamond cutting tools for best results.

CHOICE OF ADHESIVE

You have the flexibility to choose between Fevicol, ProBond or Heatex adhesives according to your preference.

IMPORTANT NOTES

- No guarantees or exchange under any circumstances.
- Colour variation may occur between material batches. Using the same batch material is recommended to maintain consistent colours.
- The actual colour of the laminate sheet may differ from this brochure due to factors such as high humidity, plywood with high moisture content, uneven surface of the substrate, inferior adhesive quality, or insufficient pressure during bonding. Please note that any delamination or applying the sheet won't be addressed, as these issues often result from inadequate pressing during the application process.

DISCLAIMER

This information is for reference only. We do not guarantee its accuracy or completeness, nor the product properties. Design and application suitability should be determined with professional advisers. We may update product descriptions and determine defect insubstantiality at our discretion.